

## (CONSIGNMENT GOODS)

The **PHILIPPINE HEART CENTER**, is adopting the "Consignment System" which is a method of assuring availability of stocks wherein consignors place their goods at the PHC, and the former is being paid by the latter for the actual quantity sold or consumed using the money generated from the sale of the consigned goods.

ITC No.	Estimated Quantity per Month	SPECIFICATION (Items for Consignment)	*Opening of Consignment Documents
042.2024	2-6 pcs	Acellular, Strong Pliable Collagen Scaffold  ****nothing follows****  *Requesting end-user unit: Operating Room	Send Letter of Intent (LOI) to phc.pscc@gmail.com  For inquiries, call 925-2401 loc
043.2024	5 pcs	Annuloplasty Ring  Ring profile height is 3.3m  Contains titanium core encapsulated with silicon and covered with polyester fabric for smooth needle  With complete sizer Sizes: 25, 27, 29, 31, 33  ****nothing follows****  *Requesting end-user unit: Operating Room	2577 or email us at the above stated email.
044.2024	1-2 pcs 3-5 pcs 1-2 pcs 1-2 pcs	Aortic Mechanical Valve  Sizes:  18  19  20, 21  22, 23, 24, 25, 26, 27, 28, 29  Note:  Maximum flexibility, needle penetration and comformability  Solid pyrolytic carbon orifice Single plane orifice The supplier will provide a minimum one (1) unit of Valve Sizer as Loaner ****nothing follows****  *Requesting end-user unit: Operating Room	
045.2024	1-2 pcs 3-5 pcs 1-3 pcs	Aortic Valved Graft Conduit Sizes: 21 23 25, 27	







	1-2 pcs	Note:  Maximum flexibility, needle penetration and comformability Solid pyrolytic carbon orifice Single plane orifice The supplier will provide a minimum one (1) unit of Valve Sizer as Loaner ****nothing follows****  *Requesting end-user unit: Operating Room	
046.2024	2-6 pcs	Automated Suture Fastening System  ****nothing follows****  *Requesting end-user unit: Operating Room	
047.2024	1-2 pcs 1-3 pcs 3-6 pcs 1-3 pcs 1	Bifurcated Graft Sizes: 12 x 6 mm 14 x 7 mm 16 x 8 mm 18 x 9 mm 20 x 10 mm 22 x 11 mm  ****nothing follows****  *Requesting end-user unit: Operating Room	
048.2024	1-2 pcs 3-6 pcs 1-3 pcs 1-5 pcs 1-2 pcs	Bioprosthesis Aortic Valve  Sizes: 18 19 20 21 22, 23, 24, 25  Note:	
049.2024	6-10 pcs	Bioprosthesis Mitral Valve Sizes: - 25	









## Republic of the Philippines PHILIPPINE HEART CENTER

East Avenue, Quezon City 1100, Philippines
Telephone Nos. 8925-2401 to 50 www.phc.gov.ph

050.2024	1-2 pcs 9-12 pcs 1-2 pcs 1-3 pcs	<ul> <li>26</li> <li>27</li> <li>28</li> <li>29, 30</li> <li>****nothing follows****</li> </ul> *Requesting end-user unit: Operating Room  Closed Spinal Drainage System  ****nothing follows****
		*Requesting end-user unit: Operating Room
051.2024	1-2 sets	CRTD Package Specification:     Material
052.2024	2-6 pcs	Detachable Coil System  ****nothing follows****  *Requesting end-user unit: Operating Room
053.2024	2-5 sets	Endovascular Stent Graft and Accessories  ****nothing follows****
		*Requesting end-user unit: Operating Room







054.2024	10 pcs	Endoscopic Vessel Harvesting System  ****nothing follows****	
		*Requesting end-user unit: Operating Room	
055.2024	F 10	Hemostatic Powder Sizes/ Volumes:	
	5-10 pcs	1 gram, 3 grams, 5 grams	
		Note:  To include endoscopic applicator / extension  ****nothing follows****	
		*Requesting end-user unit: Operating Room	
056.2024		Hemostatic Sealant Class 3	
	5-10 pcs	SizesL Volumes: 1.5 ml, 3 ml, 5 ml	_
		Note: Provide cabinet / refrigerator suitable for its required storage temperature ****nothing follows****	
		*Requesting end-user unit: Operating Room	
057.2024	4 sets	ICD Package Specification: Material Biocompatible, non-toxic and sterile; casing	
		made-up of titanium alloy Product information and usage	
		Radiopaque	-
		Lithium ion battery  Functionality	
		Excellent pacing performance	
		Excellent sensing peformance	
		<ul> <li>Programmable</li> </ul>	
		Interrogation capable	
		No untoward reaction/ complication	
		Safety Features	
		<ul> <li>Instruction on implantation are clearly defined</li> <li>Serial numbers indicated with available stickers</li> </ul>	
		Packaging Standard	
		Properly labeled in English	
		Sealed in sterile packaging	
		Easy to open	
		<ul> <li>Manufacturing/ expiration date</li> </ul>	







		****nothing follows****	4.
		*Requesting end-user unit: Operating Room	
058.2024	1-2 pcs	Implantable Vascular Access Port System Various sizes	
		****nothing follows****	
		*Requesting end-user unit: Operating Room	
059.2024		Mitral Mechanical Valve	
	1 2	Sizes:	
	1-3 pcs 6-10 pcs	18, 19, 20, 21, 22, 23, 24 25	
	1-3 pcs	26	
	9-12 pcs	27	
	1-3 pcs	28	
	2-3 pcs	29	
		Note:	=
		<ul> <li>Maximum flexibility, needle penetration and</li> </ul>	
		comformability	
		<ul> <li>Solid pyrolytic carbon orifice</li> </ul>	
		Single plane orifice	
		The supplier will provide a minimum one (1) unit of	
		Valve Sizer as Loaner  ****nothing follows****	
		nothing follows	
		*Requesting end-user unit: Operating Room	
060.2024		Mitral Ring	
		Sizes:	
	1-3 pcs	26	-
	1-5 pcs	28	
	1-3 pcs	30, 32, 34	
		Note:	
		Saddle shape	
		Reduces leaflets stress	
		Restore annular geometry	
		Knit fabric ad titanium silicone core	
		With complete sizer     ****nothing follows****	
		*Requesting end-user unit: Operating Room	
061.2024	8-17 pcs	Mitral Ring ( Semi-Rigid ) Note:	
		Semi-rigid posterior remodeling with anterior	
		Sent rigid posterior remodeling with unterior	









flexibility Polyester knit covering with MP-35N / Silicone core Eight sizes: 24 mm, 26 mm, 28 mm, 30 mm, 32 mm, 34 mm, 36 mm, 38 mm Eyelets for trigone anchoring ***nothing follows****  *Requesting end-user unit: Operating Room  O62.2024  2-6 pcs Off-Pump Coronary Artery Bypass (OPCAB) Kit with Starfish Specification: (1) Octopus Evolution (1) Mister Blower (1) Clearview Intracoronary Shunt Size 1.0 (1) Clearview Intracoronary Shunt Size 2.0 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 4.0 (1) Mini-Suction Tube (2) Vessel Tip Cannula (2) Vascular Loop with Blunt Needle (1) Starfish ****nothing follows****  *Requesting end-user unit: Operating Room  Pacemaker / Pulse Generator Single Chamber Package Specification: Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy Product information and usage Radiopaque Lithium ion battery Functionality Excellent pacing performance Excellent sensing peformance Excellent sensing peformance Programmable Interrogation capable No untoward reaction/ complication Safety Features Instruction on implantation are clearly defined Serial numbers indicated with available stickers Packaging Standard Properly labeled in English				
Off-Pump Coronary Artery Bypass (OPCAB) Kit with Starfish Specification: (1) Octopus Evolution (1) Mister Blower (1) Clearview Intracoronary Shunt Size 1.0 (1) Clearview Intracoronary Shunt Size 2.0 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 4.0 (1) Mini-Suction Tube (2) Vessel Tip Cannula (2) Vascular Loop with Blunt Needle (1) Starfish  ****nothing follows****  *Requesting end-user unit: Operating Room  O63.2024  15-23 sets  Pacemaker / Pulse Generator Single Chamber Package Specification:  Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy Product information and usage Radiopaque Lithium ion battery Functionality  Excellent pacing performance Excellent sensing peformance Programmable Interrogation capable No untoward reaction/ complication Safety Features Instruction on implantation are clearly defined Serial numbers indicated with available stickers Packaging Standard			<ul> <li>Polyester knit covering with MP-35N / Silicone core</li> <li>Eight sizes: 24 mm, 26 mm, 28 mm, 30 mm, 32 mm, 34 mm, 36 mm, 38 mm</li> <li>Eyelets for trigone anchoring</li> </ul>	
Specification: (1) Octopus Evolution (1) Mister Blower (1) Clearview Intracoronary Shunt Size 1.0 (1) Clearview Intracoronary Shunt Size 2.5 (1) Clearview Intracoronary Shunt Size 2.0 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 4.0 (1) Mini-Suction Tube (2) Vessel Tip Cannula (2) Vascular Loop with Blunt Needle (1) Starfish  ****nothing follows****  *Requesting end-user unit: Operating Room  063.2024  15-23 sets  Pacemaker / Pulse Generator Single Chamber Package Specification: Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy Product information and usage Radiopaque Lithium ion battery Functionality  Excellent pacing performance Excellent sensing peformance Programmable Interrogation capable No untoward reaction/ complication Safety Features Intervicion on implantation are clearly defined Serial numbers indicated with available stickers Packaging Standard			*Requesting end-user unit: Operating Room	
December / Pulse Generator Single Chamber Package Specification: Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy Product information and usage Radiopaque Lithium ion battery Functionality Excellent pacing performance Excellent sensing peformance Programmable Interrogation capable No untoward reaction/ complication Safety Features Instruction on implantation are clearly defined Serial numbers indicated with available stickers Packaging Standard	062.2024	2-6 pcs	Specification: (1) Octopus Evolution (1) Mister Blower (1) Clearview Intracoronary Shunt Size 1.0 (1) Clearview Intracoronary Shunt Size 1.5 (1) Clearview Intracoronary Shunt Size 2.0 (1) Aortic Punch (Long Handle) Size 2.5 (1) Aortic Punch (Long Handle) Size 4.0 (1) Mini-Suction Tube (2) Vessel Tip Cannula (2) Vascular Loop with Blunt Needle (1) Starfish	
Specification:  Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy  Product information and usage  Radiopaque  Lithium ion battery  Functionality  Excellent pacing performance  Excellent sensing peformance  Programmable  Interrogation capable  No untoward reaction/ complication  Safety Features  Instruction on implantation are clearly defined  Serial numbers indicated with available stickers  Packaging Standard			*Requesting end-user unit: Operating Room	
Sealed in sterile packaging     Easy to open	063.2024	15-23 sets	Pacemaker / Pulse Generator Single Chamber Package Specification: Material  Biocompatible, non-toxic and sterile; casing made-up of titanium alloy  Product information and usage  Radiopaque  Lithium ion battery Functionality  Excellent pacing performance  Excellent sensing peformance  Programmable  Interrogation capable  No untoward reaction/ complication Safety Features  Instruction on implantation are clearly defined  Serial numbers indicated with available stickers Packaging Standard  Properly labeled in English  Sealed in sterile packaging	









		<ul> <li>Manufacturing/ expiration date</li> <li>****nothing follows****</li> </ul>
	*R	equesting end-user unit: Operating Room
4.2024 4 s		cemaker / Pulse Generator Dual Chamber Package ecification:
1		Material
		Biocompatible, non-toxic and sterile; casing
		made-up of titanium alloy
		<ul> <li>Product information and usage</li> </ul>
- 1		Radiopaque
		Lithium ion battery
-		Functionality
-	1	Excellent pacing performance
1	- 1	Excellent sensing peformance
		Programmable
		Interrogation capable
İ		No untoward reaction/ complication
		Safety Features
		Instruction on implantation are clearly defined
		Serial numbers indicated with available stickers
		Packaging Standard
		Properly labeled in English     Scaled in strails marked in Scaled in Strails and Indiana.
		Sealed in sterile packaging
		Easy to open     Manufacturing / our institute data
		<ul> <li>Manufacturing/ expiration date</li> <li>****nothing follows****</li> </ul>
	*R	equesting end-user unit: Operating Room
5.2024 1-2	A CONTRACTOR OF THE PERSON OF	ricardial Bioprosthesis Aortic Valve es: 19, 21, 23, 25, 27, 29
	312	es. 19, 21, 25, 25, 27, 29
	No	ote:
		Made of bovine pericardial tissue
		Proven durability of 20 years
		Flexible cobalt-cronium stent
		Three (3) independent symmetrical pericardial
	-	leaflets
		Covering stent polyester cloth
		<ul> <li>With various sizes 19, 21, 23, 25, 27, 29</li> </ul>
		With complete sizer
		With reusable handle
		****nothing follows****
	*R	equesting end-user unit: Operating Room







066.2024	1-3 pcs	Pericardial Bioprosthesis Mitral Valve Sizes: 25, 27, 29  Note:	
067.2024	2-6 pcs	Tissue Valve Conduit Sizes: 12 mm, 14 mm, 16 mm, 18 mm, 20 mm, 22 mm  ****nothing follows****  *Requesting end-user unit: Operating Room	
068.2024	5-6 sets	Transcatheter Aortic Stent Valve Package  ****nothing follows****  *Requesting end-user unit: Operating Room	
069.2024	5 pcs	Tricuspid Ring  Ring profile height is 3.3m  Contains titanium core encapsulated with silicon and covered with polyester fabric for smooth needle  With complete sizer Sizes: 26, 28, 30, 32, 34  ****nothing follows****  *Requesting end-user unit: Operating Room	
070.2024	2 pcs 4 pcs 2 pcs	Vascular PTFE Graft Sizes: 3 mm, 3.5 mm 4 mm, 5mm 6 mm, 8 mm, 13 mm, 16 mm, 19 mm *****nothing follows****  *Requesting end-user unit: Operating Room	
071.2024		Vascular Straight Graft Sizes:	









2 pcs	6 mm, 8 mm	
4 pcs	14 mm, 15 mm	
2 pcs	18 mm, 20 mm, 22 mm, 24 mm, 26 mm	-
	30 mm, 32 mm, 34 mm	
	****nothing follows****	
	*Requesting end-user unit: Operating Room	

APPROVED BY:

MARIA LUISA VALENTINA R. JACILDO, M.D. Chairperson, Consignment Committee

January 2024





