



PHILIPPINE HEART CENTER
East Avenue, Quezon City

SUPPLEMENTAL BID BULLETIN No. 054-2019

SUBJECT : Modification in the Bidding Document

PROJECTS : 1 unit Pneumatic Tube System - ITB No. 060.19

To ensure that the transactions are comparatively advantageous to the interests of the PHC, the originally scheduled Project as mentioned above, modifications are hereby introduced:

As Published, PhilGeps (From)	Corrected (should be read as) (To)
Page 74/Item No. 1- Letter c: > Pharmacy and ER stations must be bottom loading and must be equipped with a least 2 return magazine.	> Pharmacy and ER stations must be bottom loading and must be equipped with at least 2 return canisters.
Page 75/Item 3: letter b: Noise level must not be more than 50 Db. Letter d: Must have a conveying speed of 8.0 m/sec.	> Noise level must be less than 80 Db. > Conveying speed of 5.0 to 8.0 m/sec.
Page 75/Item No. 4. Addendum	> maximum weight capacity of the carrier/canister= 5Kg (including the canister).
Page 76/Item No. 10. letter e: > With 1KVA UPS.	> Minimum of 650 Watts to 1 KVA UPS.
Page 75/Item No. 14, letter b: > System is capable of automatic thermochemical sterilization of the carriers.	> System is capable of automatic thermochemical sterilization of the carriers or its equivalent process.
Page 76/Item No. 1: > letter c: Installation of the whole system in <u>two (2) month period.</u> > letter f: Training of the system operation and trouble shooting to end-user/s.	> Delivery and installation of the whole system in five (5) month period, maximum. > Training of the system operation and trouble shooting to end-user/s in one (1) month after the installation.

This Supplemental Bid Bulletin is hereby issued to modify the original parameters/advertisement as stated therein.

Please be guided accordingly.

Approved. Done this 6th day of August 2019, BAC Office, PHC.


MARIETTA A. VELASCO, RN, MAN
Chairman, BAC for Pharma Supplies and Med Equipment